

Drylining

KNAUF DRYWALL

Plasterboard Range

The Knauf range of plasterboards includes standard wallboard for general use and a comprehensive range of high performance boards with specific characteristics to enhance performance in the areas of:

- Moisture resistance
- Sound reduction and reverberation
- Impact resistance
- Fire protection
- Control of water vapour
- Thermal insulation

Each of their boards are colour-coded to the industry standard to ease recognition. They are available with tapered or square edge profiles and in a wide range of sizes suitable for all applications.

Aquapanel Tile Backer

Knauf Aquapanel cement board is an extremely durable tile backer providing a solid substrate for wet indoor areas such as bathrooms, shower rooms and wet rooms. Resistant to mould and mildew, Aquapanel will not deteriorate in water. It retains its strength even if fully immersed.

Insulating Laminates

Knauf Insulating Laminates instantly raises the thermal and acoustic performance of masonry walls quickly and easily. The most efficient materials give the slimmest possible systems, keeping costs down and maximising room space.

Drywall Systems

Knauf Drywall metal offers a superior, cost-effective and easy-to-use alternative to timber. Knauf Drywall systems are vigorously independently tested to meet the toughest performance criteria.

Their range of drywall systems include:

- Partitions
- Wall Linings
- Ceilings
- Floors
- Shaft protection

Drywall Accessories Range

In addition to plaster, plasterboard and metal Knauf provide a full range of drywall accessories to complete projects to the highest standard.

These include:

- Jointing products and tapes
- Fixings
- Metal Accessories and components
- Cove

Plaster Range

Thistle plasters offer a comprehensive choice of undercoats and finishes for every application from traditional hand applied two coat work to re-plastering after damp proof course installation, machine applied projection and Gyproc plasterboard finishing.



Undercoat plasters



One coat plasters

Finish plasters

KNAUF DRYWALL

Plaster Range

Knauf Drywall manufacture a full range of finishing plasters, one-coat plasters and, of course, Europe's market-leading projection plaster - Knauf MP75. Knauf use of pure gypsum combines excellent workability and strength with a superb white finish. Knauf MP75 is three times faster than traditional 2 coat systems, and can shave weeks of the plastering contract on a large project



Knauf Drywall are one of the UK's leading manufacturers of Plaster, Plasterboard and Drywall Systems.

STANDARD BOARD

Knauf Drywall offer a full range of plasterboards to meet all drylining requirements, inc high performance boards for greater fire, moisture, vapour, sound and impact results.

KNAUF WALLBOARD

Knauf wallboard is plasterboard with an ivory face ideally suited to receive a plaster finish or for direct decoration.



Cat.no	Description	Type	Thickness mm	Width mm	Length mm	Boards per pallet	M ² per pack
H03304	KNAUF WALLBOARD	SE	9.5	1200	2400	92	265
H03297	KNAUF WALLBOARD	SE	9.5	900	1800	100	162
H03309	KNAUF WALLBOARD	SE	12.5	1200	3000	60	216
H03308	KNAUF WALLBOARD	SE	12.5	1200	2700	60	194.4
H03303	KNAUF WALLBOARD	SE	12.5	900	2400	80	172.8
H03305	KNAUF WALLBOARD	SE	12.5	1200	2400	72	207.4
H03298	KNAUF WALLBOARD	SE	12.5	900	1800	80	129.6
H03307	KNAUF WALLBOARD	SE	15	900	2400	60	129.6
H03306	KNAUF WALLBOARD	SE	15	1200	2400	60	172.8
H03316	KNAUF WALLBOARD	TE	9.5	1200	2400	92	265
H03322	KNAUF WALLBOARD	TE	12.5	1200	3000	60	216
H03320	KNAUF WALLBOARD	TE	12.5	1200	2700	60	194.4
H31703	KNAUF WALLBOARD	TE	12.5	1200	2500	72	216
H03315	KNAUF WALLBOARD	TE	12.5	900	2400	80	172.8
H03317	KNAUF WALLBOARD	TE	12.5	1200	2400	72	207.4
H03311	KNAUF WALLBOARD	TE	12.5	900	1800	80	129.6
H03425	KNAUF WALLBOARD	TE	15	1200	3000	48	172.8
H03321	KNAUF WALLBOARD	TE	15	1200	2700	48	155.5
H98801	KNAUF WALLBOARD	TE	15	900	2400	60	129.6
H03318	KNAUF WALLBOARD	TE	15	1200	2400	60	172.8
H03226	KNAUF WALLBOARD	TE	15	900	1800	60	97.2



KNAUF BASEBOARD

Knauf Baseboard is a handy sized plasterboard suitable for use as a base for plastering.

Cat.no	Description	Type	Thickness mm	Width mm	Length mm	Boards per pallet	M ² per pack
H03358	KNAUF BASEBOARD	SE	9.5	900	1220	96	105.4



KNAUF PLANK

Knauf Plank is a 19mm thick plasterboard for use as a key component in many partition and floor systems.

Cat.no	Description	Type	Thickness mm	Width mm	Length mm	Boards per pallet	M ² per pack
H03343	KNAUF PLANK	TE	19	600	2400	80	115.2



KNAUF VAPOURSHIELD

Knauf Vapourshield has a metalised polyester foil laminated on the grey paper face, creating an effective vapour barrier.

Cat.no	Description	Type	Thickness mm	Width mm	Length mm	Boards per pallet	M ² per pack
H03338	KNAUF VAPOURSHIELD	SE	12.5	1200	2400	72	207.4
H03336	KNAUF VAPOURSHIELD	SE	12.5	900	1800	80	129.6
H03339	KNAUF VAPOURSHIELD	TE	12.5	1200	2400	72	207.4
H03334	KNAUF VAPOURSHIELD	TE	12.5	1200	3000	60	216
H33855	KNAUF VAPOURSHIELD	TE	15	1200	2400	60	172.8



KNAUF FUTUREPANEL

Knauf Futurepanel is a carbon neutral plasterboard and contains a high proportion of recycled and reclaim gypsum. It has an ivory face ideally suited to receive plaster finish or direct decoration and has a green paper on the back of the board making it easily identifiable. It has a mass of 10kg/m² making it suitable for use in housing Part E.

Cat.no	Description	Type	Thickness mm	Width mm	Length mm	Boards per pallet	M ² per pack
N35589	KNAUF FUTUREPANEL	TE	12.5	1200	2700	60	194.4
N35588	KNAUF FUTUREPANEL	TE	12.5	1200	2500	60	180
N35587	KNAUF FUTUREPANEL	TE	12.5	1200	2400	60	172.8



HIGH PERFORMANCE BOARD

Knauf High Performance Boards offer the convenience of plasterboard with significantly higher performance in key areas, from moisture performance in kitchens and bathrooms to fire and impact ratings in commercial projects. Knauf Drywall High Performance Boards are the solution for elements of fire, moisture, vapour, sound and impact performance.

KNAUF SOUNDSHIELD


Knauf Soundshield is designed for use in areas where sound reduction is of particular importance. Its high mass and tuned core help absorb sound energy, giving enhanced acoustic performance.



Cat.no	Description	Type	Thickness mm	Width mm	Length mm	Boards per pallet	M ² per pack
H03431	KNAUF SOUNDSHIELD	TE	12.5	1200	3000	42	151.2
H62844	KNAUF SOUNDSHIELD	TE	12.5	1200	2700	48	155.52
H03398	KNAUF SOUNDSHIELD	TE	15	1200	3000	36	129.6
H03365	KNAUF SOUNDSHIELD	TE	12.5	1200	2400	56	161.28
H03055	KNAUF SOUNDSHIELD	TE	15	1200	2400	48	138.24
N35627	KNAUF SOUNDSHIELD	TE	12.5	1200	2700	48	155.52

KNAUF IMPACT PANEL

Knauf Impact panel is an impact resistant plasterboard offering toughness, durability and excellent load carry capacity



Cat.no	Description	Type	Thickness mm	Width mm	Length mm	Boards per pallet	M ² per pack
N27886	KNAUF IMPACT PANEL	TE	15	1200	3000	42	151.2
N27885	KNAUF IMPACT PANEL	TE	12.5	1200	3000	48	172.8
N27884	KNAUF IMPACT PANEL	TE	12.5	1200	2400	60	172.8

KNAUF MOISTURESHIELD

Knauf Moistureshield is a high performance plasterboard for use in internal areas of high humidity and temporary external exposure.



Cat.no	Description	Type	Thickness mm	Width mm	Length mm	Boards per pallet	M ² per pack
H03359	KNAUF MOISTURESHIELD	SE	12.5	1200	2400	60	172.8
H03360	KNAUF MOISTURESHIELD	TE	12.5	1200	2400	60	172.8
H03361	KNAUF MOISTURESHIELD	TE	12.5	1200	2700	60	194.4
H03362	KNAUF MOISTURESHIELD	TE	12.5	1200	3000	54	194.4
H19199	KNAUF MOISTURESHIELD	TE	15	1200	2400	48	138.24



KNAUF SOUND MOISTURESHIELD

Knauf Sound Moistureshield offers both enhanced acoustic performance and moisture resistant qualities.



Cat.no	Description	Type	Thickness mm	Width mm	Length mm	Boards per pallet	M ² per pack
H31888	KNAUF SOUND MOISTURESHIELD	TE	15	1200	3000	36	129.6
H31886	KNAUF SOUND MOISTURESHIELD	TE	12.5	1200	3000	20	72
H31885	KNAUF SOUND MOISTURESHIELD	TE	12.5	1200	2400	28	80.64
H31887	KNAUF SOUND MOISTURESHIELD	TE	15	1200	2400	48	138.24

KNAUF FIRESHIELD

Knauf Fireshield offers superior fire protection.



Cat.no	Description	Type	Thickness mm	Width mm	Length mm	Boards per pallet	M ² per pack
H03324	KNAUF FIRESHIELD	SE	12.5	900	1800	80	129.6
H03325	KNAUF FIRESHIELD	SE	12.5	1200	2400	60	172.8
H03329	KNAUF FIRESHIELD	TE	12.5	1200	2400	60	172.8
H03330	KNAUF FIRESHIELD	TE	15	1200	2400	48	138.2
H03328	KNAUF FIRESHIELD	TE	12.5	900	1800	80	129.6
H03207	KNAUF FIRESHIELD	TE	12.5	1200	2700	60	194.4
H33699	KNAUF FIRESHIELD	TE	12.5	1200	3000	48	172.8
H03331	KNAUF FIRESHIELD	TE	15	1200	3000	42	151.2
N32543	KNAUF FIRESHIELD	TE	15	1200	2700	48	155.5



INSULATING LAMINATES

Knauf Insulating Laminates provide an efficient way to achieve instant energy savings, whilst maximising room space. All Knauf Insulating Laminates offer simple solutions to meet the requirements of the Building Regulations for walls as well as room in roof situations for new build and refurb projects.

KNAUF THERMAL LAMINATE

Knauf Thermal Laminate offers good levels of thermal insulation by combining 9.5mm Knauf Wallboard with high quality polystyrene which is both CFC and HCFC-free. This product is ideal for use in both refurbishment and new build.



Cat.no	Description	Type	Thickness mm	Width mm	Length mm	Boards per pallet	M ² per pack
H32253	KNAUF THERMAL LAMINATE	TE	22	1200	2400	46	132.5
H32254	KNAUF THERMAL LAMINATE	TE	30	1200	2400	32	92.2
H32255	KNAUF THERMAL LAMINATE	TE	40	1200	2400	25	72

KNAUF THERMAL LAMINATE VAPOUR CHECK

Knauf Thermal Laminate Vapour Check offers good levels of thermal insulation by combining 9.5mm Knauf Vapourshield plasterboard with high quality polystyrene which is both CFC and HCFC-free. This product is ideal for use in both refurbishment and new builds.



Cat.no	Description	Type	Thickness mm	Width mm	Length mm	Boards per pallet	M ² per pack
H52705	KNAUF THERMAL LAMINATE V/C	TE	22	1200	2400	46	132.5
H32257	KNAUF THERMAL LAMINATE V/C	TE	30	1200	2400	32	92.2
H52707	KNAUF THERMAL LAMINATE V/C	TE	40	1200	2400	25	72

KNAUF THERMAL LAMINATE PLUS

CFC and HCFC-free extruded polystyrene bonded to 9.5mm Knauf Wallboard offers an enhanced thermal performance at a reduced thickness with the additional advantage of providing a good vapour resistance. Ideal for use in refurbishment, new build and warm roof situations where an enhanced level of thermal insulation is required.



Cat.no	Description	Type	Thickness mm	Width mm	Length mm	Boards per pallet	M ² per pack
H16467	KN THERMAL LAMINATE PLUS	TE	27	1200	2400	36	103.7
H52734	KN THERMAL LAMINATE PLUS	TE	35	1200	2400	28	80.6
H52735	KN THERMAL LAMINATE PLUS	TE	40	1200	2400	25	72
H52736	KN THERMAL LAMINATE PLUS	TE	45	1200	2400	22	63.4
H52737	KN THERMAL LAMINATE PLUS	TE	55	1200	2400	16	46.1



KNAUF PHENOLIC LAMINATE

CFC and HCFC-free phenolic insulation bonded to 9.5mm Knauf Vapourcheck plasterboard offers the highest thermal performance reducing the thickness required. Ideal for use in refurbishment, new build and room in roof situations where an enhanced level of thermal insulation is required.



Cat.no	Description	Type	Thickness mm	Width mm	Length mm	Boards per pallet	M ² per pack
H16479	KN PHENOLIC LAMINATE	TE	50	1200	2400	20	57.6
H33853	KN PHENOLIC LAMINATE	TE	60	1200	2400	16	46.1
H52633	KN PHENOLIC LAMINATE	TE	65	1200	2400	15	43.2



KNAUF AQUAPANEL

Aquapanel Cement Board is the UK's market leading tile backer. It is unaffected by water and offers outstanding performance, virtually eliminating tile failure.



Cat.no	Description	Type	Thickness mm	Width mm	Length mm	Boards per pallet	M ² per pack
N51387	KNAUF AQUAPANEL EXTERNAL BOARD	Tub 20kg Roll 20m Cartridge	12.5	900	1200	50	54
N51386	KNAUF AQUAPANEL EXTERNAL BOARD		12.5	900	2400	25	54
N32097	KNAUF AQUAPANEL INTERIOR BOARD		12.5	900	2400	25	54
H03445	KNAUF AQUAPANEL INTERIOR BOARD		12.5	900	1200	50	54
N36141	KNAUF AQUAPANEL FLOOR TILE UNDERLAY		6	900	1200	100	108
N32523	KNAUF AQUAPANEL THERMAL		10	600	1200	50	36
N00143	KNAUF AQUAPANEL Q4 FINISH						
H03441	KNAUF AQUAPANEL JOINT TAPE						
N37131	KNAUF AQUAPANEL JOINT ADHESIVE						
N51370	KNAUF AQUAPANEL MAXI SCREWS SN25						
N51371	KNAUF AQUAPANEL MAXI SCREWS SN39						
N51372	KNAUF AQUAPANEL MAXI SCREWS SN55						
N05340	KNAUF AQUAPANEL INT SCREWS 40X8MM (1000)						

The right board for every job

Knauf Drywall manufactures a range of high performance and specialist boards for moisture, impact and fire resistance, sound reduction, and tile backing. Higher performance boards build better finishes.

The Knauf Drywall range is stocked at your nearest branch of Build Center



Knauf Standard Boards

- Knauf Wallboard
- Knauf Plank
- Knauf Baseboard
- Knauf Futurepanel

Knauf Specialist Boards

- Knauf Aquapanel wall tile backer board
- New Knauf Aquapanel floor tile underlay

Knauf High Performance Boards

- Knauf Vapourshield
- Knauf Fireshield
- Knauf Moistureshield
- Knauf Sound Moistureshield
- Knauf Impact Panel
- Knauf Soundshield



ACCESSORIES



KNAUF JOINTING PRODUCTS, COVE, PLASTERS

Knauf provide everything needed for framing, fixing, lining, jointing, taping, plastering and finishing - all tested together, and designed to make the project simpler and more efficient.



Cat.no	Description
--------	-------------

ACCESORIES + JOINTING PRODUCTS

Knauf range of Jointing Products have been developed to give you the best possible results when bedding tapes and beads and finishing joints. Whether by hand or machine application, Knauf Jointing Products give you the smoothest finish with the minimum effort.

H36255	KNAUF BONDING COMPOUND	25kg
N32626	KNAUF JOINT CEMENT LITE EASY SAND	12.7ltr
H36028	KNAUF MULTIFILL	10kg
N32739	KNAUF JOINT CEMENT EASY SAND	20kg
H36263	KNAUF JOINT FILLER	20kg
H03427	KNAUF DRYWALL EDGE BEAD	3000mm (12.5mm)
H36259	KNAUF CORNER FLEX TAPE	30m
H36258	KNAUF WALLBOARD PRIMER	12ltr
N36775	KNAUF DRYWALL ANGLE BEAD	25X25X3000
H0342	KNAUF DRYWALL EDGE BEAD 3	(15mm)
N36780	FB INTUMESCENT ACRYLIC MASTIC	310ml
H36264	KNAUF JOINT TAPE	150m Roll
H16483	KNAUF FIBRE TAPE	153mm Roll
H03988	KNAUF GYPSUM PARGE COAT	25kg
H36256	KNAUF SEALANT CARTRIDGE	0.9ltr

COVE

Decorative plaster moulding with a paper face for direct application of paint finishes.

H36249	KNAUF COVE	127mmX3.0m
H36248	KNAUF COVE	90mmX3.0m
H36250	KNAUF COVE	127mmX3.6m
H36253	KNAUF COVE ADHESIVE	5.0kg

PLASTER + PLASTER ACCS

Our plasters and accessories have been specifically developed to take advantage of the latest spray and hand application techniques. The highest quality gypsum is used to combine a superb finish with incredible coverage.

H36240	- KNAUF BETOKONTAKT	20kg
N36796	- KNAUF PATCHWALL 45 PLASTER	10kg
H36246	- KNAUF MP75 PROJECTION PLASTER	25kg
H36247	- KNAUF UNIVERSAL BOARD FINISH	25kg
N05341	- KNAUF MP FINISH	25kg
H36029	- KNAUF UNIVERSAL PLASTER	25kg
N36140	- KNAUF AIRLESS	25kg
N36781	- KNAUF HIGH SUCTION PLASTER PRIMER	15kg



DRYWALL SCREWS

Cat.no	Description	Qty per box
--------	-------------	-------------

DRYWALL SCREWS		
N03221	TRADEFIX 3.5 x 32mm BLACK PHOSPHATE DRYWALL SCREWS	500
N03223	TRADEFIX 3.5 x 38mm BLACK PHOSPHATE DRYWALL SCREWS	500
N03224	TRADEFIX 3.5 x 42mm BLACK PHOSPHATE DRYWALL SCREWS	500
N03226	TRADEFIX 3.5 x 50mm BLACK PHOSPHATE DRYWALL SCREWS	250
N03228	TRADEFIX 4.2 x 63mm BLACK PHOSPHATE DRYWALL SCREWS	250
N03230	TRADEFIX 4.2 x 75mm BLACK PHOSPHATE DRYWALL SCREWS	250
N03459	TRADEFIX 4.8 x 100mm BLACK PHOSPHATE DRYWALL SCREWS	250

COLLATED DRYWALL SCREWS		
N03240	TRADEFIX 3.9 x 35mm COLLATED DRYWALL SCREWS FINE THREAD	1000
N03241	TRADEFIX 3.9 x 45mm COLLATED DRYWALL SCREWS FINE THREAD	1000
N03242	TRADEFIX 3.9 x 55mm COLLATED DRYWALL SCREWS FINE THREAD	1000
N03247	TRADEFIX 3.9 x 35mm COLLATED DRYWALL SCREWS COARSE THREAD	1000
N03248	TRADEFIX 3.9 x 45mm COLLATED DRYWALL SCREWS COARSE THREAD	1000
N03249	TRADEFIX 3.9 x 55mm COLLATED DRYWALL SCREWS COARSE THREAD	1000

PLASTERBOARD NAILS		
N31169	CENTER JAGGED PLASTERBOARD GALVANISED NAILS 40mm 2.5KG	

GENERAL FIXINGS		
S55106	SPIT DRIVA PLASTERBOARD FIXINGS 12mm	100
S58781	SPIT DRIVA PLUS PLASTERBOARD FIXINGS 12mm	100
S93133	SPIT NYLON SELF DRILL PLASTERBOARD FIXINGS	25
S93135	SPIT HOLLOW WALL ANCHOR 4 x 45mm	20
S93136	SPIT HOLLOW WALL ANCHOR 5 x 45mm	20
S93137	SPIT HOLLOW WALL ANCHOR 5 x 60mm	15
S93138	SPIT HOLLOW WALL ANCHOR 5 x 70mm	15
S93139	SPIT SPRING TOGGLE FIXING 5 x 50mm	10
S93140	SPIT SPRING TOGGLE FIXING 6 x 75mm	8



BRITISH GYPSUM

British Gypsum is a major authority in the UK construction industry and the country's leading manufacturer and supplier of gypsum-based plastering and drylining solutions. With a long history of providing innovative, cost-effective and reliable products that meet the demands of the construction industry, the company is renowned for its pioneering work in training, as well as its forward-thinking strategy on innovation and product development. Using over a century of expertise British Gypsum has developed the UK's leading range of wall, wall lining, floor, ceiling and encasement systems, for the residential, commercial and RMI sectors of the construction industry.

British Gypsum's Thistle plasters offer a comprehensive choice of undercoats and finishes for every application, from traditional hand applied two coat work to replastering after DPC installation, machine applied projection and Gyproc plasterboard finishing.

Cat.no	Description	Kg /bag	Bags per pallet	Kg per pallet
H13101	BG THISTLE BROWNING	25	40	1.0 tonnes
H13102	BG THISTLE TOUGH COAT	25	40	1.0 tonnes
H13107	BG THISTLE BONDING COAT	25	56	1.4 tonnes
H13113	BG THISTLE HARDWALL	25	45	1.2 tonnes
H13119	BG THISTLE MULTI FINISH	25	56	1.4 tonnes
H13123	BG THISTLE DRI-COAT PLASTER	25	40	1.0 tonnes
H13124	BG THISTLE BOARD FINISH	25	56	1.4 tonnes
H13129	BG THISTLE UNIVERSAL 1 COAT PLASTER	25	56	1.4 tonnes



KNAUF DRYWALL

Knauf metal sections are fully tested and manufactured to the highest standards. Product features include:

- Designed to work with Knauf boards and accessories to give tested, warranted system performances
- High quality stud, track and channels
- Strong, light and easy to use
- Simple and fast to install

The Knauf range of metal section offers the following products in various sizes:

- C Studs
- U Channels
- I Studs and Staggered Stud
- Stud and channel
- Ceiling and Wall Lining
- Shaftwall System
- Resilient Accessories
- Metal Accessories

